

# FISH & RICHARDSON P.C.

500 ARGUELLO STREET  
Suite 500  
Redwood City, California  
94063-1526

Telephone  
650 839-5070

Facsimile  
650 839-5071

Web Site  
[www.fr.com](http://www.fr.com)

**Date** June 15, 2004

**To** Examiner Linzy T. McCartney  
Group 2671  
Telephone: (703) 605-0745

**Facsimile number** 07844-47600001 / (703) 746-9229

**From** Diana Bradley  
US Patent Paralegal/Case Manager

**Re** P440 Rendering Characters  
Serial No. 09/739,587  
Our Ref.: 07844-476001

**Number of pages**  
**including this page** 29

**Message** Enclosed is a copy of the RCE, formal drawings and related papers as filed on December 17, 2003, along with a copy of the return receipt postcard stamped by OIPE on December 22, 2004. Thank you for your assistance in this matter


~Diana

**NOTE:** This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at 650 839-5070 to arrange for its return. Thank you.

DAB  
TAP  
BEB

Attorney's Docket No. 07844-476001	Express Mail Label No.	Mailing Date December 17, 2003
Application No. 09/739,587	Filing Date December 15, 2000	Attorney/Secretary Init RSB/BLB/vzl
Title of the Invention HINTED STEM PLACEMENT ON HIGH-RESOLUTION PIXEL GRID		
Applicant Terence S. Dowling and R. David Arnold		
Client Reference No. P440		
Enclosures ·Request for Continued Examination (RCE) Transmittal (1 page) ·Preliminary Amendment (14 pages) with attached Drawings (formal, 5 sheets)  ·Information Disclosure Statement (1 pages) ·Form PTO-1449 (1 page) ·Documents listed on the Form PTO-1449 (3 documents)  Limited Recognition Under 37 CFR Section 10.9(b) (1 page) This return postcard – <b>FEES BEING CHARGED</b>		

*For PTO Use Only*  
*Do Not Mark in This Area*



✓ TJA

Attorney's Docket No. 07844-476001	Express Mail Label No.	Mailing Date December 17, 2003
Application No. 09/739,587	Filing Date December 15, 2000	Attorney/Secretary Init RSB/BLB/vzl

***For PTO Use Only***  
*Do Not Mark in This Area*

Title of the Invention

**HINTED STEM PLACEMENT ON HIGH-RESOLUTION  
PIXEL GRID**

Applicant

**Terence S. Dowling and R. David Arnold**

Client Reference No.

**P440**

Enclosures

·Request for Continued Examination (**RCE**)Transmittal (1 page)

·Preliminary Amendment (14 pages) with attached Drawings  
(formal, 5 sheets)

·Information Disclosure Statement (1 pages)

·Form PTO-1449 (1 page)

·Documents listed on the Form PTO-1449 (3 documents)

Limited Recognition Under 37 CFR Section 10.9(b) (1 page)

This return postcard – **FEES BEING CHARGED**

\*\*\*\*\*  
\*\*\* TX REPORT \*\*\*  
\*\*\*\*\*

TRANSMISSION OK

TX/RX NO 0111  
CONNECTION TEL pp47600001#pp17037469229  
CONNECTION ID  
ST. TIME 06/15 11:41  
USAGE T 07'21  
PGS. SENT 29  
RESULT OK

#16/Ltr  
w/ formal  
ATTN: [unclear]  
(copies)

## FISH &amp; RICHARDSON P.C.

500 ARGUELLO STREET  
Suite 500  
Redwood City, California  
94063-1526

Telephone  
650 839-5070

Facsimile  
650 839-5071

Web Site  
[www.fr.com](http://www.fr.com)

Date June 15, 2004

To Examiner Linzy T. McCartney  
Group 2671  
Telephone: (703) 605-0745

Facsimile number 07844-47600001 / (703) 746-9229

From Diana Bradley  
US Patent Paralegal/Case Manager

Re P440 Rendering Characters  
Serial No. 09/739,587  
Our Ref.: 07844-476001

Number of pages  
including this page 29

Message Enclosed is a copy of the RCE, formal drawings and related papers as filed on December 17, 2003, along with a copy of the return receipt postcard stamped by OIPE on December 22, 2004. Thank you for your assistance in this matter

~Diana

<b>Request For Continued Examination (RCE) Transmittal</b>  Address to: Mail Stop RCE Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	<b>Application Number</b>	09/739,587
	<b>Filing Date</b>	December 15, 2000
	<b>First Named Inventor</b>	Terence S. Dowling
	<b>Group Art Unit</b>	2671
	<b>Examiner Name</b>	Linzy T. McCartney
	<b>Attorney Docket Number</b>	07844-476001

This is a Request for Continued Examination (RCE) under 37 C.F.R. §1.114 of the above-identified application. Request for Continued Examination (RCE) practice under 37 CFR 1.114 does not apply to any utility or plant application filed prior to June 8, 1995, or to any design application. See Instruction Sheet for RCEs (not to be submitted to the USPTO) on page 2.

1. **Submission required under 37 C.F.R. §1.114** Note: If the RCE is proper, any previously filed unentered amendments and amendments enclosed with the RCE will be entered in the order in which they were filed unless applicant instructs otherwise. If applicant does not wish to have any previously filed unentered amendment(s) entered, applicant must request non-entry of such amendment(s)

a. ☐ Previously submitted. If a final Office action is outstanding, any amendment filed after the final Office action may be considered as a submission even if this box is not checked.

i. ☐ Consider the arguments in the Appeal Brief or Reply Brief previously filed on \_\_\_\_\_

ii. ☐ Other \_\_\_\_\_

b. ☒ Enclosed

i. ☒ Preliminary Amendment

ii. ☐ Affidavit(s)/Declaration(s)

iii. ☒ Information Disclosure Statement (IDS)

iv. ☐ Other \_\_\_\_\_

2. **Miscellaneous**

a. ☐ Suspension of action on the above-identified application is requested under 37 C.F.R. §1.103(c) for a period of \_\_\_\_\_ months. (Period of suspension shall not exceed 3 months; Fee under 37 C.F.R. §1.17(i) required)

b. ☐ Other \_\_\_\_\_

3. **Fee** The RCE fee under 37 C.F.R. §1.17(e) is required by 37 C.F.R. §1.114 when the RCE is filed.

a. ☒ The Director is hereby authorized to charge the following fees, or credit any overpayments, to Deposit Account No. 06-1050

i. ☒ RCE fee required under 37 CFR 1.17(e)

ii. ☐ Extension of time fee (37 CFR 1.136 and 1.17)

iii. ☒ Other Any deficiencies

b. ☐ Check in the amount of \$ \_\_\_\_\_ enclosed

c. ☐ Payment by credit card (Form PTO-2038 enclosed)

## SIGNATURE OF APPLICANT, ATTORNEY OR AGENT REQUIRED

<b>Name (Print/Type)</b>	Brenda Leeds Binder	<b>Limited Recognition under 37 CFR § 10.9(b)</b>
<b>Signature</b>	<i>Brenda Binder</i>	<b>Date</b> <u>Dec 17/03</u>

## CERTIFICATE OF MAILING OR TRANSMISSION

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Mail Stop RCE, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 or facsimile transmitted to the U.S. Patent and Trademark Office on the date shown below.

<b>Name (Print/Type)</b>	Vicki Lorist
<b>Signature</b>	<i>Vicki Lorist</i>
<b>Date</b>	<u>12-17-03</u>

Brenda Leeds Binder has been given limited recognition under 37 CFR § 10.9(b) as an employee of the Fish & Richardson PC law firm to prepare and prosecute patent applications wherein the patent applicant is a client of Fish & Richardson PC and the attorney or agent of record in the applications is a registered practitioner who is a member of Fish & Richardson, which is the case in the present application. A copy of the Limited Recognition document, which expires July 16, 2004, is attached hereto.

**BEFORE THE OFFICE OF ENROLLMENT AND DISCIPLINE  
UNITED STATES PATENT AND TRADEMARK OFFICE**

**LIMITED RECOGNITION UNDER 37 CFR § 10.9(b)**

Brenda Leeds Binder is hereby given limited recognition under 37 CFR § 10.9(b) as an employee of the Fish & Richardson P.C. law firm to prepare and prosecute patent applications wherein the patent applicant is the client of the Fish & Richardson P.C. law firm, and the attorney or agent of record in the applications is a registered practitioner who is a member of the Fish & Richardson P.C. law firm. This limited recognition shall expire on the date appearing below, or when whichever of the following events first occurs prior to the date appearing below: (i) Brenda Leeds Binder ceases to lawfully reside in the United States, (ii) Brenda Leeds Binder's employment with the Fish & Richardson P.C. law firm ceases or is terminated, or (iii) Brenda Leeds Binder ceases to remain or reside in the United States on a H1-B visa.

This document constitutes proof of such recognition. The original of this document is on file in the Office of Enrollment and Discipline of the United States Patent and Trademark Office.

**Expires: July 16, 2004**



Harry I. Moatz

Director of Enrollment and Discipline

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Terence S. Dowling, et al.      Art Unit : 2671  
Serial No. : 09/739,587      Examiner : Linzy T. McCartney  
Filed : December 15, 2000  
Title : HINTED STEM PLACEMENT ON HIGH-RESOLUTION PIXEL GRID

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

PRELIMINARY AMENDMENT

Prior to examination, please amend the application as indicated on the following pages.

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

\_\_\_\_\_  
Date of Deposit      12-17-03

\_\_\_\_\_  
Vicki Lorist

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) A system for rendering a character for display in grayscale on a grayscale output device, comprising:

means for defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

means for placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

stem aligner means for processing the stem before rendering the character for output on the output device, the stem aligner means comprising means for performing a black-edge hinted stem placement policy, including,

means for rounding the stem width to the width of an integral number of fine cells;

means for determining the stem width; and

means for, if the stem width is at least one coarse grid cell, moving the stem with rounded width a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

2. (Original) The system of claim 1, wherein:

the number of fine cells per coarse cell is determined according to the number of



grayscale levels that can be produced by a pixel of the output device.

3. (Original) The system of claim 1, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

4. (Original) The system of claim 1, wherein:

the stem aligner means further comprises means for performing an unbiased-stems hinted stem placement policy.

5. (Previously Presented) The system of claim 4, wherein:

the means for performing an unbiased-stems policy comprise:  
means for rounding the stem width to the width of an integral number of fine cells;  
means for determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and  
means for determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

6. (Previously Presented) A system for rendering a character for display in grayscale on a grayscale output device, comprising:

means for defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells;  
means for placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

stem aligner means for processing the stem before rendering the character for output on the output device, the stem aligner means comprising means for performing an unbiased-stems hinted stem placement policy, wherein the unbiased-stems policy considers stem spread when determining stem placement.

7. (Original) The system of claim 6, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

8. (Original) The system of claim 6, wherein:

the number of fine cells per coarse cell is determined according to the number of grayscale levels that can be produced by a pixel of the output device.

9. (Original) The system of claim 6, wherein:

the stem aligner means further comprises means for performing a black-edge hinted stem placement policy.

10. (Previously Presented) A method for processing a stem of a character outline, comprising:

selecting a hinted stem placement policy from a set of policies comprising at least either a black-edge policy or an unbiased-stems policy, where a black edge policy considers stem width when determining stem placement and an unbiased-stems policy considers stem spread when determining stem placement;

placing a character defined by a font program with reference to a coarse grid and an overlapping fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

processing the stem before rendering the character for output on the output device in accordance with the selected policy,

wherein, processing the stem in accordance with the black-edge policy includes:

rounding the stem width to the width of an integral number of fine cells;

determining the stem width; and

if the stem width is at least one coarse cell, moving the stem with rounded width a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

11. (Cancelled)

12. (Original) The method of claim 10, further comprising processing the stem in accordance with a unbiased-stems policy by:

rounding the stem width to the width of an integral number of fine cells;

determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

13. (Original) The method of claim 10, wherein the set of policies comprises both a black-edge policy and an unbiased-stems policy.

14. (Original) The method of claim 13, wherein the set of policies further comprises a hard-edge policy and a soft-edge policy.

15. (Original) The method of claim 10, wherein the policy is specifically selected for vertical stems or horizontal stems.

16. (Original) The method of claim 10, wherein the policy is selected for both vertical stems and horizontal stems.

17. (Original) The method of claim 10, further comprising:

selecting a first policy for vertical stems and a different second policy for horizontal stems.

18. (Currently Amended) A computer program product, tangibly stored on a computer-readable

medium, for rendering a character for display in grayscale on a grayscale output device, the product comprising instructions operable to cause a programmable processor to:

define a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

place a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

perform a black-edge hinted stem placement policy, , wherein instructions to perform a black-edge hinted stem placement policy comprise instructions to:

round the stem width to the width of an integral number of fine cells;

determine the stem width; and

if the stem width is at least one coarse cell, move the stem with rounded width a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

19. (Original) The product of claim 18, wherein:

the number of fine cells per coarse cell is determined according to the number of grayscale levels that can be produced by a pixel of the output device.

20. (Original) The product of claim 18, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

21. (Original) The product of claim 18, further comprising instructions to:

perform an unbiased-stems hinted stem placement policy.

22. (Previously Presented) The product of claim 18, wherein:

the instructions to perform an unbiased-stems policy comprise instructions to:  
round the stem width to the width of an integral number of fine cells;  
determine a minimum number of coarse cells that can be spanned by the rounded  
width of the stem; and

determine whether the stem spans more than the minimum number of coarse cells  
and, if it does, move the stem a minimum distance so that at least one of the stem hint edges  
aligns with a parallel coarse cell edge.

23. (Previously Presented) A computer program product, tangibly stored on a computer-readable  
medium, for rendering a character for display in grayscale on a grayscale output device, the  
product comprising instructions operable to cause a programmable processor to:

define a coarse grid of cells, each coarse cell corresponding to an output device grayscale  
pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said  
coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids  
defining edges of the cells;

place a character defined by a font program with reference to the coarse grid and fine  
grid, the character having a stem hinted with two parallel edges that are placed with reference to  
the grids when the character is so placed, the stem hint edges being separated by a stem width;  
and

perform an unbiased-stems hinted stem placement policy, wherein the unbiased-stems  
policy considers stem spread when determining stem placement.

24. (Original) The product of claim 23, further comprising instructions to:

perform a black-edge hinted stem placement policy.

25. (Previously Presented) A computer program product, tangibly stored on a computer-readable  
medium, for processing a stem of a character outline, the product comprising instructions  
operable to cause a programmable processor to:

select a hinted stem placement policy from a set of policies comprising at least either a  
black-edge policy or an unbiased-stems policy, where a black-edge policy considers stem width

when determining stem placement and an unbiased-stems policy considers stem spread when determining stem placement;

place a character defined by a font program with reference to a coarse grid and an overlapping fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

process the stem before rendering the character for output on the output device in accordance with the selected policy,

wherein, instructions to process the stem in accordance with a black-edge policy, include instructions to:

round the stem width to the width of an integral number of fine cells;

determine the stem width; and

if the stem width is at least one coarse cell, move the stem with rounded width a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

26. (Cancelled)

27. (Original) The product of claim 25, further comprising instructions to:

process the stem in accordance with a unbiased-stems policy, including instructions to:

round the stem width to the width of an integral number of fine cells;

determine a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determine whether the stem spans more than the minimum number of coarse cells and, if it does, move the stem a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

28. (Original) The product of claim 25, wherein the set of policies comprises both a black-edge policy and an unbiased-stems policy.

29. (Original) The product of claim 28, wherein the set of policies further comprises a hard-edge

policy and a soft-edge policy.

30. (Original) The product of claim 25, wherein the policy is specifically selected for vertical stems or horizontal stems.

31. (Original) The product of claim 25, wherein the policy is selected for both vertical stems and horizontal stems.

32. (Currently Amended) The product of claim 25, further comprising:

selecting a first policy for vertical stems and a different second policy for horizontal ~~stem~~ stems.

33. (Previously Presented) The system of claim 6, wherein the means for performing an unbiased-stems policy comprise:

means for rounding the stem width to the width of an integral number of fine cells;

means for determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

means for determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

34. (Previously Presented) The product of claim 23, wherein instructions operable to perform an unbiased-stems hinted stem placement policy include instructions operable to:

round the stem width to the width of an integral number of fine cells;

determine a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determine whether the stem spans more than the minimum number of coarse cells and, if it does, move the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

35. (Previously Presented) Method for rendering a character for display in grayscale on a

grayscale output device, comprising:

defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells;

placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

processing the stem before rendering the character for output on the output device including performing an unbiased-stems hinted stem placement policy, wherein the unbiased-stems policy considers stem spread when determining stem placement.

36. (Previously Presented) The method of claim 35, wherein processing the stem before rendering the character further includes performing a black-edge hinted stem placement policy.

37. (Previously Presented) The method of claim 35, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

38. (Previously Presented) The method of claim 35, wherein:

the number of fine cells per coarse cell is based on the number of grayscale levels that can be produced by a pixel of the output device.

39. (Previously Presented) A method for rendering a character for display in grayscale on a grayscale output device, comprising:

defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

placing a character defined by a font program with reference to the coarse grid and fine



grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

processing the stem before rendering the character for output on the output device, including performing a black-edge hinted stem placement policy, wherein performing a black-edge policy comprises:

- rounding the stem width to the width of an integral number of fine cells;
- determining the stem width; and

- if the stem width is at least one coarse cell, moving the stem with rounded width a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

40. (Previously Presented) The method of claim 39, further comprising,  
performing an unbiased-stems hinted stem placement policy.

41. (Previously Presented) The method of claim 39, wherein:  
performing an unbiased-stems policy comprises:

- rounding the stem width to the width of an integral number of fine cells;
- determining a minimum number of coarse cells that can be spanned by the

rounded width of the stem; and

- determining whether the stem spans more than the minimum number of coarse cells and, if it does, moving the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

42. (Previously Presented) The method of claim 39, wherein:

- the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

43. (Previously Presented) The method of claim 39, wherein:

- the number of fine cells per coarse cell is based on the number of grayscale levels that

can be produced by a pixel of the output device.

44. - 45. (Cancelled)

46. (Previously Presented) The system of claim 1, the stem aligner means further comprising:  
means for, if the stem width is less than one coarse cell, performing an unbiased stems policy.

47. (Previously Presented) The method of claim 10, wherein, processing the stem in accordance with the black-edge policy further includes:

if the stem width is less than one coarse cell, performing an unbiased stems policy.

48. (Previously Presented) The computer program product of claim 18, wherein instructions to perform a black-edge hinted stem placement policy further comprise instructions to:

if the stem width is less than one coarse cell, perform an unbiased stems policy.

49. (Previously Presented) The computer program product of claim 25, wherein instructions to process the stem in accordance with a black-edge policy further include instructions to:

if the stem width is less than one coarse cell, perform an unbiased stems policy.

50. (Previously Presented) The method of claim 39, wherein performing a black-edge policy further comprises:

if the stem width is less than one coarse cell, performing an unbiased stems policy.

Applicant : Terence S. Dowling and R. David Arnold  
Serial No. : 09/739,587  
Filed : December 15, 2000  
Page : 13 of 14

Attorney's Pocket No.: 07844-476001 / P440

Amendments to the Drawings:

The attached 5 replacement sheets replace the original sheets filed with the application on December 15, 2000.

Attachments following last page of this Amendment:

Replacement Sheet (5 pages)

Applicant : Terence S. Dowling and R. David Arnold  
Serial No. : 09/739,587  
Filed : December 15, 2000  
Page : 14 of 14

Attorney's Docket No.: 07844-476001 / P440

### REMARKS


Further to the Examiner's Amendment included with the Notice of Allowance, mailed September 25, 2003, claims 18 and 32 are amended. Claim 18 is amended to include the word "edge" at the end of the last limitation, which word was omitted in the Examiner's Amendment. Claim 32 is amended to correct a typographical error, changing the word "stem" to the word "stems". No new matter is added.

Brenda Leeds Binder has been given limited recognition under 37 CFR § 10.9(b) as an employee of the Fish & Richardson PC law firm to prepare and prosecute patent applications wherein the patent applicant is a client of Fish & Richardson PC and the attorney or agent of record in the applications is a registered practitioner who is a member of Fish & Richardson, which is the case in the present application. A copy of the Limited Recognition document, which expires July 16, 2004, is attached hereto.

Please apply all charges or credits to deposit account 06-1050.

Respectfully submitted,

Date: Dec 17/03

  
Brenda Leeds Binder  
Limited Recognition under 37 CFR § 10.9(b)

Fish & Richardson P.C.  
500 Arguello Street, Suite 500  
Redwood City, California 94063  
Telephone: (650) 839-5070  
Facsimile: (650) 839-5071

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Terence S. Dowling and R. David Arnold Art Unit : 2671  
Examiner : Linzy T. McCartney  
Serial No. : 09/739,587 Confirmation No.: 3536  
Filed : December 15, 2000 Notice of Allowance Date: 5/17/2004  
Title : HINTED STEM PLACEMENT ON HIGH-RESOLUTION PIXEL GRID

**MAIL STOP ISSUE FEE**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

AMENDMENT AFTER ALLOWANCE  
PURSUANT TO 37 C.F.R. §1.312

Please amend the application as indicated on the following pages. This amendment is being filed concurrently with the payment of the issue fee.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. EV 322524820 US

August 16, 2004

Date of Deposit

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) A system for rendering a character for display in grayscale on a grayscale output device, comprising:

means for defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

means for placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

stem aligner means for processing the stem before rendering the character for output on the output device, the stem aligner means comprising means for performing a black-edge hinted stem placement policy, including,

means for rounding the stem width to the width of an integral number of fine cells;

means for determining the stem width; and

means for, if the stem width is at least one coarse grid cell, moving the stem with rounded width a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

2. (Original) The system of claim 1, wherein:

the number of fine cells per coarse cell is determined according to the number of grayscale levels that can be produced by a pixel of the output device.

3. (Original) The system of claim 1, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

4. (Original) The system of claim 1, wherein:

the stem aligner means further comprises means for performing an unbiased-stems hinted stem placement policy.

5. (Previously Presented) The system of claim 4, wherein:

the means for performing an unbiased-stems policy comprise:

means for rounding the stem width to the width of an integral number of fine cells;

means for determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

means for determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

6. (Previously Presented) A system for rendering a character for display in grayscale on a grayscale output device, comprising:

means for defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells;

means for placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

stem aligner means for processing the stem before rendering the character for output on the output device, the stem aligner means comprising means for performing an unbiased-stems

hinted stem placement policy, wherein the unbiased-stems policy considers stem spread when determining stem placement.

7. (Original) The system of claim 6, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

8. (Original) The system of claim 6, wherein:

the number of fine cells per coarse cell is determined according to the number of grayscale levels that can be produced by a pixel of the output device.

9. (Original) The system of claim 6, wherein:

the stem aligner means further comprises means for performing a black-edge hinted stem placement policy.

10. (Previously Presented) A method for processing a stem of a character outline, comprising:

selecting a hinted stem placement policy from a set of policies comprising at least either a black-edge policy or an unbiased-stems policy, where a black edge policy considers stem width when determining stem placement and an unbiased-stems policy considers stem spread when determining stem placement;

placing a character defined by a font program with reference to a coarse grid and an overlapping fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

processing the stem before rendering the character for output on the output device in accordance with the selected policy,

wherein, processing the stem in accordance with the black-edge policy includes:

rounding the stem width to the width of an integral number of fine cells;

determining the stem width; and

if the stem width is at least one coarse cell, moving the stem with rounded width a



minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

11. (Cancelled)

12. (Original) The method of claim 10, further comprising processing the stem in accordance with a unbiased-stems policy by:

rounding the stem width to the width of an integral number of fine cells;

determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

13. (Original) The method of claim 10, wherein the set of policies comprises both a black-edge policy and an unbiased-stems policy.

14. (Original) The method of claim 13, wherein the set of policies further comprises a hard-edge policy and a soft-edge policy.

15. (Original) The method of claim 10, wherein the policy is specifically selected for vertical stems or horizontal stems.

16. (Original) The method of claim 10, wherein the policy is selected for both vertical stems and horizontal stems.

17. (Original) The method of claim 10, further comprising:

selecting a first policy for vertical stems and a different second policy for horizontal stems.

18. (Previously Presented) A computer program product, tangibly stored on a computer-readable medium, for rendering a character for display in grayscale on a grayscale output device, the product comprising instructions operable to cause a programmable processor to:

define a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

place a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

perform a black-edge hinted stem placement policy, wherein instructions to perform a black-edge hinted stem placement policy comprise instructions to:

round the stem width to the width of an integral number of fine cells;

determine the stem width; and

if the stem width is at least one coarse cell, move the stem with rounded width a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

19. (Original) The product of claim 18, wherein:

the number of fine cells per coarse cell is determined according to the number of grayscale levels that can be produced by a pixel of the output device.

20. (Original) The product of claim 18, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

21. (Original) The product of claim 18, further comprising instructions to:

perform an unbiased-stems hinted stem placement policy.

22. (Previously Presented) The product of claim 18, wherein:

the instructions to perform an unbiased-stems policy comprise instructions to:

round the stem width to the width of an integral number of fine cells;

determine a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determine whether the stem spans more than the minimum number of coarse cells and, if it does, move the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

23. (Previously Presented) A computer program product, tangibly stored on a computer-readable medium, for rendering a character for display in grayscale on a grayscale output device, the product comprising instructions operable to cause a programmable processor to:

define a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

place a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

perform an unbiased-stems hinted stem placement policy, wherein the unbiased-stems policy considers stem spread when determining stem placement.

24. (Original) The product of claim 23, further comprising instructions to:

perform a black-edge hinted stem placement policy.

25. (Previously Presented) A computer program product, tangibly stored on a computer-readable medium, for processing a stem of a character outline, the product comprising instructions operable to cause a programmable processor to:

select a hinted stem placement policy from a set of policies comprising at least either a black-edge policy or an unbiased-stems policy, where a black-edge policy considers stem width when determining stem placement and an unbiased-stems policy considers stem spread when determining stem placement;

place a character defined by a font program with reference to a coarse grid and an overlapping fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

process the stem before rendering the character for output on the output device in accordance with the selected policy,

wherein, instructions to process the stem in accordance with a black-edge policy, include instructions to:

round the stem width to the width of an integral number of fine cells;

determine the stem width; and

if the stem width is at least one coarse cell, move the stem with rounded width a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

26. (Cancelled)

27. (Original) The product of claim 25, further comprising instructions to:

process the stem in accordance with a unbiased-stems policy, including instructions to:

round the stem width to the width of an integral number of fine cells;

determine a minimum number of coarse cells that can be spanned by the rounded width of the stem; and

determine whether the stem spans more than the minimum number of coarse cells and, if it does, move the stem a minimum distance so that at least one of the stem edges aligns with a parallel coarse cell edge.

28. (Original) The product of claim 25, wherein the set of policies comprises both a black-edge policy and an unbiased-stems policy.

29. (Original) The product of claim 28, wherein the set of policies further comprises a hard-edge policy and a soft-edge policy.

30. (Original) The product of claim 25, wherein the policy is specifically selected for vertical stems or horizontal stems.

31. (Original) The product of claim 25, wherein the policy is selected for both vertical stems and horizontal stems.

32. (Previously Presented) The product of claim 25, further comprising:  
selecting a first policy for vertical stems and a different second policy for horizontal stems.

33. (Previously Presented) The system of claim 6, wherein the means for performing an unbiased-stems policy comprise:  
means for rounding the stem width to the width of an integral number of fine cells;  
means for determining a minimum number of coarse cells that can be spanned by the rounded width of the stem; and  
means for determining whether the stem spans more than the minimum number of coarse cells and, if it does, for moving the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

34. (Previously Presented) The product of claim 23, wherein instructions operable to perform an unbiased-stems hinted stem placement policy include instructions operable to:  
round the stem width to the width of an integral number of fine cells;  
determine a minimum number of coarse cells that can be spanned by the rounded width of the stem; and  
determine whether the stem spans more than the minimum number of coarse cells and, if it does, move the stem a minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell edge.

35. (Previously Presented) Method for rendering a character for display in grayscale on a grayscale output device, comprising:

defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells;

placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that is placed with reference to the grids when the character is so placed, the stem hint edges being separated by a stem width; and

processing the stem before rendering the character for output on the output device including performing an unbiased-stems hinted stem placement policy, wherein the unbiased-stems policy considers stem spread when determining stem placement.

36. (Previously Presented) The method of claim 35, wherein processing the stem before rendering the character further includes performing a black-edge hinted stem placement policy.

37. (Previously Presented) The method of claim 35, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid ratio.

38. (Previously Presented) The method of claim 35, wherein:

the number of fine cells per coarse cell is based on the number of grayscale levels that can be produced by a pixel of the output device.

39. (Previously Presented) A method for rendering a character for display in grayscale on a grayscale output device, comprising:

defining a coarse grid of cells, each coarse cell corresponding to an output device grayscale pixel, and a high-resolution grid of fine cells, the high-resolution grid being aligned with said coarse grid so that each coarse cell includes an integer number of undivided fine cells, the grids defining edges of the cells;

placing a character defined by a font program with reference to the coarse grid and fine grid, the character having a stem hinted with two parallel edges that are placed with reference to

the grids when the character is so placed, the stem hint edges being separated by a stem width;  
and

processing the stem before rendering the character for output on the output device,  
including performing a black-edge hinted stem placement policy, wherein performing a  
black-edge policy comprises:

rounding the stem width to the width of an integral number of fine cells;

determining the stem width; and

if the stem width is at least one coarse cell, moving the stem with rounded width a  
minimum distance so that at least one of the stem hint edges aligns with a parallel coarse cell  
edge.

40. (Previously Presented) The method of claim 39, further comprising,  
performing an unbiased-stems hinted stem placement policy.

41. (Currently Amended) The method of claim [39] 40, wherein:

performing an unbiased-stems hinted stem placement policy comprises:

rounding the stem width to the width of an integral number of fine cells;

determining a minimum number of coarse cells that can be spanned by the  
rounded width of the stem; and

determining whether the stem spans more than the minimum number of coarse  
cells and, if it does, moving the stem a minimum distance so that at least one of the stem hint  
edges aligns with a parallel coarse cell edge.

42. (Previously Presented) The method of claim 39, wherein:

the number of fine cells per coarse cell is determined by a single, client-selected grid  
ratio.

43. (Previously Presented) The method of claim 39, wherein:

the number of fine cells per coarse cell is based on the number of grayscale levels that  
can be produced by a pixel of the output device.

44. - 45. (Cancelled)

46. (Previously Presented) The system of claim 1, the stem aligner means further comprising:  
means for, if the stem width is less than one coarse cell, performing an unbiased stems policy.

47. (Previously Presented) The method of claim 10, wherein, processing the stem in accordance with the black-edge policy further includes:

if the stem width is less than one coarse cell, performing an unbiased stems policy.

48. (Previously Presented) The computer program product of claim 18, wherein instructions to perform a black-edge hinted stem placement policy further comprise instructions to:

if the stem width is less than one coarse cell, perform an unbiased stems policy.

49. (Previously Presented) The computer program product of claim 25, wherein instructions to process the stem in accordance with a black-edge policy further include instructions to:

if the stem width is less than one coarse cell, perform an unbiased stems policy.

50. (Previously Presented) The method of claim 39, wherein performing a black-edge policy further comprises:

if the stem width is less than one coarse cell, performing an unbiased stems policy.



Applicant : Terence S. Dowling and R. David Arnold  
Serial No. : 09/739,587  
Filed : December 15, 2000  
Page : 13

Attorney's Docket No. 07844-476001

REMARKS

Claim 41 has been amended to correct a typographical error. Claim 41 as amended depends from claim 40, which depends from claim 39. As previously written, claim 41 depended from directly from claim 39 and included a wherein clause referencing an "unbiased-stems policy", which was not included in the independent claim 39, causing an antecedent basis problem. Dependent claim 40 does include a reference to an "unbiased-stems hinted placement policy". Applicant asks that all claims be allowed in view of the amendment to the claims.

Brenda Leeds Binder has been given limited recognition under 37 CFR § 10.9(b) as an employee of the Fish & Richardson PC law firm to prepare and prosecute patent applications wherein the patent applicant is a client of Fish & Richardson PC and the attorney or agent of record in the applications is a registered practitioner who is a member of Fish & Richardson, which is the case in the present application. A copy of the Limited Recognition document, which expires December 1, 2004, is attached hereto.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: Aug 16/04

B. Leeds Binder  
Brenda Leeds Binder  
Limited Recognition under 37 CFR § 10.9(b)

Customer Number 021876  
Fish & Richardson P.C.  
Telephone: (650) 839-5070  
Facsimile: (650) 839-5071



EV 322524820 US

Mailing Label  
Label 11-F June 2002

UNITED STATES POSTAL SERVICE®

Post Office To Addressee

ORIGIN (POSTAL USE ONLY)		
PO ZIP Code	Day of Delivery <input type="checkbox"/> Next <input type="checkbox"/> Second <input type="checkbox"/>	Flat Rate Envelope <input type="checkbox"/>
Date In Mo. Day Year	<input type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM	Postage \$
Time In <input type="checkbox"/> AM <input type="checkbox"/> PM	Military <input type="checkbox"/> 2nd Day <input type="checkbox"/> 3rd Day	Return Receipt Fee
Weight lbs. ozs.	Int'l Alpha Country Code	COD Fee Insurance Fee
No Delivery <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday	Acceptance Clerk Initials	Total Postage & Fees \$

DELIVERY (POSTAL USE ONLY)		
Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
Delivery Date	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
<input type="checkbox"/> <b>WAIVER OF SIGNATURE (Domestic Only)</b> Additional merchandise insurance is void if waiver of signature is requested. I wish delivery to be made without obtaining signature of addressee or addressee's agent (if delivery employee judges that article can be left in secure location) and I authorize that delivery employee's signature constitutes valid proof of delivery.		
<b>NO DELIVERY</b> <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday Customer Signature		

CUSTOMER USE ONLY  
METHOD OF PAYMENT: X940100  
Express Mail Corporate Acct. No.Federal Agency Acct. No. or  
Postal Service Acct. No.

FROM: (PLEASE PRINT)

PHONE ( )

FISH & RICHARDSON  
500 ARGUELLO ST STE 500  
REDWOOD CITY CA 94063-1526

TO: (PLEASE PRINT)

PHONE ( )

MAIL STOP Issue Fee  
COMMISSIONER FOR PATENTS  
PO BOX 1450  
ALEXANDRIA VA 22313-1450

L 07844-476001/dmb

PRESS HARD.  
You are making 3 copies.

FOR PICKUP OR TRACKING CALL 1-800-222-1811 www.usps.com



EV 322524820 US



UNITED STATES POSTAL SERVICE®

Post Office To Addressee

Customer Copy

Label 11-F June 2002

ORIGIN (POSTAL USE ONLY)		
PO ZIP Code 94064	Day of Delivery <input type="checkbox"/> Next <input checked="" type="checkbox"/> Second <input type="checkbox"/>	Flat Rate Envelope <input type="checkbox"/>
Date In Mo. Day Year 8 16 04	<input type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM	Postage \$ 13.65
Time In <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	Military <input type="checkbox"/> 2nd Day <input type="checkbox"/> 3rd Day	Return Receipt Fee
Weight lbs. 5 ozs.	Int'l Alpha Country Code	COD Fee Insurance Fee
No Delivery <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday	Acceptance Clerk Initials AL	Total Postage & Fees \$ 13.65

DELIVERY (POSTAL USE ONLY)		
Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
Delivery Attempt	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
Delivery Date	Time <input type="checkbox"/> AM <input type="checkbox"/> PM	Employee Signature
Mo. Day		
<input type="checkbox"/> <b>WAIVER OF SIGNATURE (Domestic Only)</b> Additional merchandise insurance is void if waiver of signature is requested. I wish delivery to be made without obtaining signature of addressee or addressee's agent (if delivery employee judges that article can be left in secure location) and I authorize that delivery employee's signature constitutes valid proof of delivery.		
<b>NO DELIVERY</b> <input type="checkbox"/> Weekend <input type="checkbox"/> Holiday Customer Signature		

CUSTOMER USE ONLY  
METHOD OF PAYMENT: X940100  
Express Mail Corporate Acct. No.Federal Agency Acct. No. or  
Postal Service Acct. No.

FROM: (PLEASE PRINT)

PHONE ( )

FISH & RICHARDSON  
500 ARGUELLO ST STE 500  
REDWOOD CITY CA 94063-1526

TO: (PLEASE PRINT)

PHONE ( )

MAIL STOP Issue Fee  
COMMISSIONER FOR PATENTS  
PO BOX 1450  
ALEXANDRIA VA 22313-1450

L 07844-476001/dmb

PRESS HARD.  
You are making 3 copies.

FOR PICKUP OR TRACKING CALL 1-800-222-1811 www.usps.com



Attorney's Docket No. 07844-476001	Express Mail Label No. EV 322524820 US	Mailing Date August 16, 2004	<b>For PTO Use Only</b> <i>Do Not Mark in This Area</i>
Application No. 09/739,587	Filing Date December 15, 2000	Attorney/Secretary Init BLB/dmb	
Title of the Invention <b>HINTED STEM PLACEMENT ON HIGH-RESOLUTION PIXEL GRID</b>			
Applicant <b>Terence S. Dowling and R. David Arnold</b>			
Client Reference No. P440			
Enclosures ·Check in the amount of \$1351.00 ·Issue Fee Transmittal (Part B) ·Request for Patent Copies Comments on Statement of Reasons for Allowance (1 page) Amendment After Allowance (13 pages) Limited Recognition Statement (1 page)			

**FR FISH & RICHARDSON P.C.**

225 Franklin Street  
Boston, Massachusetts  
02110-2804

c 186398

PAY *One thousand - three hundred fifty one dollars & no/100* DOLLARS

TO THE ORDER OF	DATE	AMOUNT
COMMISSIONER OF PATENTS AND TRADEMARKS	8-16-04	1,351.00

FISH & RICHARDSON P.C.

52-153/112

 **Fleet** Fleet Maine, N.A.  
www.fleet.com  
South Portland, ME

BY

*[Signature]*

07844-476001

186398

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Terence S. Dowling and R. David Arnold      Art Unit : 2671  
Examiner : Linzy T. McCartney  
Serial No. : 09/739,587  
Filed : December 15, 2000  
Title : HINTED STEM PLACEMENT ON HIGH-RESOLUTION PIXEL GRID

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Applicant submits the references listed on the attached form PTO-1449.

This filing is being made with the filing of a Request for Continued Examination. No fee is required.

Brenda Leeds Binder has been given limited recognition under 37 CFR § 10.9(b) as an employee of the Fish & Richardson PC law firm to prepare and prosecute patent applications wherein the patent applicant is a client of Fish & Richardson PC and the attorney or agent of record in the applications is a registered practitioner who is a member of Fish & Richardson, which is the case in the present application. A copy of the Limited Recognition document, which expires July 16, 2004, is attached hereto.

Respectfully submitted,

Date:

Date: Dec 17/03

Bleth

Limited Recognition under 37 CFR § 10.9(b)

50189944.doc

**CERTIFICATE OF MAILING BY FIRST CLASS MAIL**

I hereby certify under 37CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

December 17, 2003

Date of Deposit

Vicki Lorist

Substitute Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Attorney's Docket No. 07844-476001	Application No. 09/739,587
<b>Information Disclosure Statement by Applicant</b> (Use several sheets if necessary) (37 CFR §1.98(b))		Applicant Terence S. Dowling and R. David Arnold	
		Filing Date December 15, 2000	Group Art Unit 2671

U.S. Patent Documents							
Examiner Initial	Desig. ID	Document Number	Publication Date	Patentee	Class	Subclass	Filing Date If Appropriate
	AA	4,907,282	03/06/90	Daly, et al.			
	AB						
	AC						
	AD						
	AE						
	AF						
	AG						
	AH						
	AI						
	AJ						
	AK						

Foreign Patent Documents or Published Foreign Patent Applications								
Examiner Initial	Desig. ID	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation	
							Yes	No
	AL	WO 94/06094	03/17/94	PCT				
	AM	WO 94/29843	12/22/94	PCT				
	AN							
	AO							
	AP							

Other Documents (include Author, Title, Date, and Place of Publication)		
Examiner Initial	Desig. ID	Document
	AQ	
	AR	
	AS	
	AT	

Examiner Signature	Date Considered
EXAMINER: Initials citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification<sup>5</sup> :

G06F 15/72, G09G 5/24

A1

(11) International Publication Number:

WO 94/06094

(43) International Publication Date:

17 March 1994 (17.03.94)

(21) International Application Number: PCT/US93/07956

(22) International Filing Date: 24 August 1993 (24.08.93)

(30) Priority data:

07-937,962

28 August 1992 (28.08.92)

US

(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

(71) Applicant: GO CORPORATION [US/US]; 919 E. Hillsdale Blvd., Suite 400, Foster City, CA 94404 (US).

(72) Inventor: HUNGSHUN, Edward, Yee; 1643 38th Avenue, San Francisco, CA 94122 (US).

(74) Agents: RAUBVOGEL, Amir, H. et al.; Fenwick & West, 2 Palo Alto Square, Suite 500, Palo Alto, CA 94306 (US).


Published

With international search report.

(54) Title: GLYPH RASTERIZATION METHOD COMBINING ANTI-ALIASING AND GRID FITTING

## (57) Abstract

A method for rasterizing ideal glyph representations provides improved clarity and readability for Chinese and Japanese glyphs. The preferred method advantageously combines anti-aliasing and grid fitting techniques for generating images and comprises the steps of: obtaining the ideal glyph representations and hints, converting the hint information from font units of the abstract coordinate space to pixel units, transforming the control points to pixel units using the hint information to produce a series of scaled line segments and curves, sampling points at intervals along each curve and line segment, and processing the sampled points to determine the fractional coloring for each pixel and to produce sharper transitions at those points of the glyph that have been indicated to be of aesthetic importance.



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification<sup>5</sup> :

G09G 5/28, G06K 15/02

A1

(11) International Publication Number:

WO 94/29843

(43) International Publication Date:

22 December 1994 (22.12.94)

(21) International Application Number:

PCT/US94/06243

(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CN,

CZ, DE, DK, ES, FI, GB, GE, HU, JP, KG, KP, KR, KZ,  
LK, LU, LV, MD, MG, MN, MW, NL, NO, NZ, PL, PT,  
RO, RU, SD, SE, SI, SK, TJ, UA, UZ, VN, European patent  
(AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC,  
NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA,  
GN, ML, MR, NE, SN, TD, TG).

(22) International Filing Date:

3 June 1994 (03.06.94)

(30) Priority Data:


074,754

10 June 1993 (10.06.93)

US

(71) Applicant: APPLE COMPUTER, INC. [US/US]; 20525 Mari-  
ani Avenue, Cupertino, CA 95014 (US).

Published

*With international search report.**Before the expiration of the time limit for amending the  
claims and to be republished in the event of the receipt of  
amendments.*(72) Inventor: CHAN, Allen, M.; 11552 Morning Spring Court,  
Cupertino, CA 95014 (US).(74) Agents: FLIESLER, Martin, C. et al.; Fliesler, Dubb, Meyer  
and Lovejoy, Suite 400 - Four Embarcadero Center, San  
Francisco, CA 94111-4156 (US).(54) Title: ANTI-ALIASING APPARATUS AND METHOD WITH AUTOMATIC SNAP FIT OF HORIZONTAL AND VERTICAL  
EDGES TO TARGET GRID

## (57) Abstract

The invention provides a method and apparatus for creating anti-aliasing effects in slanted or curved edge portions of a bit-mapped image while avoiding such effects at horizontal and vertical edge portions. A method in accordance with the invention comprises the steps of: (a) defining a set of plot instructions for plotting an ideal outline of a desired image; (b) identifying a target resolution to be provided by a bit-mapped rendering apparatus; (c) scaling and grid-fitting the outline to the identified target resolution; (d) upwardly scaling the grid-fitted outline to a mezzanine resolution level that is higher than the identified resolution of the target display medium; (e) filling the outline at the mezzanine resolution level (scan conversion); (f) assigning, based on the mezzanine level outline fill, one or more of a grayscale value or other anti-aliasing attribute values to each corresponding pixel of the target display medium (sampling); and (g) rendering the image in accordance with this attribute assignment onto the target display medium for appreciation by a human observer.